



Form Liner

CONCRETE TEXTURE SYSTEM




 **SYMONS**
BY DAYTON SUPERIOR



Textured concrete saves time, labor and material by providing structural and architectural functions in a single medium. This advantage accelerates the construction process and minimizes costs.

Fractured	7
Wood.....	10
Smooth Flute.....	13
Brick.....	17
Block.....	19
Stone.....	21
Other	25
Rustication Strips.....	27



SPS Plastic

SPS Plastic Form Liner is manufactured from polystyrene plastic and thermoformed to provide the contractor with an inexpensive alternative for single use applications.

ABS Plastic

ABS Plastic Form Liner is made from premium quality ABS raw material that provides superb durability and excellent overall performance for projects with 5 to 10 reuses.

Dura-Tex®

Dura-Tex Form Liner is a medium use elastomeric form liner. The ruggedness and tear strength of Dura-Tex Form Liner allows stripping from complex designs.

Elasto-Tex®

The Elasto-Tex Form Liner is a pure urethane that provides consistent pattern reproduction. The applied cost becomes a distinct advantage for projects with 100 reuses and more.



Form Liner Comparison

	SPS Plastic	ABS Plastic	Dura-Tex	Elasto-Tex
Textures				
Wood patterns	yes	yes	yes	yes
Rib patterns	yes	yes	yes	yes
Fractured patterns	yes	yes	yes	yes
Other patterns	yes	yes	yes	yes
Custom designs	yes	yes	yes	yes
Cost (average per sq. ft.)				
Initial cost	\$3.33	\$5.70	\$31.00	\$38.00
Reusability	1	5-10	50	100
Applied cost	\$3.33	\$0.76	\$0.62	\$0.38
Support				
Accessories	yes	yes	yes	yes
Application Guide	yes	yes	yes	yes
Field service	yes	yes	yes	yes

This chart provides general guidelines for selecting the most appropriate form liner material. Unusual applications or project conditions may require further recommendations from Symons. Follow all label instructions for maximum product performance and worker safety.

Form Liner






Form Liner



Fractured Patterns



Fractured Rope Rib (2" OC rope)


P/C 30715	0.090 mil Styrene
P/C 30475	0.110 mil ABS
P/C 30612	Dura-Tex
P/C 30908	Elasto-Tex

4' x 10'

4' x 10'

4' x 10'

4' x 10'




Fine Stone Rib (2" OC rib)

P/C 30716	0.090 mil Styrene
P/C 30448	0.110 mil ABS

4' x 10'

4' x 10'



3/4" Fractured Fin (1 1/2" OC fin)



P/C 30717	0.090 mil Styrene
P/C 30449	0.110 mil ABS
P/C 30604	Dura-Tex
P/C 30906	Elasto-Tex

4' x 10'

4' x 10'

4' x 10'

4' x 10'



1 3/4" Fractured Fin (3" OC fin)



P/C 30718	0.150 mil Styrene
P/C 30499	0.110 mil ABS
P/C 30609	Dura-Tex
P/C 30902	Elasto-Tex

4' x 10'

4' x 10'

4' x 10'

4' x 10'



2" Broken Rock Rib (3 7/16" OC rib)



P/C 30719	0.150 mil Styrene
P/C 30451	0.150 mil ABS
P/C 30619	Dura-Tex
P/C 30925	Elasto-Tex

4' x 10'

4' x 10'

4' x 10'

4' x 10'



Fluted Fractured Fin (1 1/4" OC rib)


P/C 30732	0.090 mil Styrene
P/C 30431	0.160 mil ABS
P/C 30658	Dura-Tex
P/C 30933	Elasto-Tex

4' x 10'


4' x 10'

4' x 10'

4' x 10'




Fractured Patterns



3/4" Narrow Fractured Fin
P/C 30603 Dura-Tex
P/C 30909 Elasto-Tex

4' x 10'



4' x 10'



1 1/2" Fractured Fin (2" OC rib)
P/C 30666 Dura-Tex
P/C 30972 Elasto-Tex

4' x 10'



4' x 10'



2" Fractured Rope Rib (4" OC rib)
P/C 30625 Dura-Tex
P/C 30929 Elasto-Tex

4' x 10'

4' x 10'





1" Fractured Fin (2.35" OC rib; 47" overall width)
P/C 3170341 0.090 mil Styrene
P/C 3170343 0.110 mil ABS
P/C 3170345 Dura-Tex
P/C 3170347 Elasto-Tex

4' x 10'

4' x 10'

4' x 10'

4' x 10'





1" Fractured Fin (2" OC rib; open end)
P/C 3170580 0.090 mil Styrene
P/C 3170505 0.110 mil ABS
P/C 3170555 Dura-Tex
P/C 3170530 Elasto-Tex

4' x 10'

4' x 10'

4' x 10'

4' x 10'




1 1/2" Fractured Fin (3" OC rib; open end)
P/C 3170581 0.150 mil Styrene
P/C 3170506 0.150 mil ABS
P/C 3170556 Dura-Tex
P/C 3170531 Elasto-Tex

4' x 10'

4' x 10'

4' x 10'

4' x 10'



Fractured Patterns



1.5" Fractured Fin (4" OC)



P/C 947051	0.090 mil Styrene
P/C 940020	0.110 mil ABS
P/C 944015	Dura-Tex
P/C 942078	Elasto-Tex

4' x 10'

4' x 10'

4' x 10'

4' x 10'



1.5" Agg Rib (4.625" OC)

P/C 947041	0.090 mil Styrene
P/C 940010	0.110 mil ABS
P/C 944005	Dura-Tex
P/C 942068	Elasto-Tex


4' x 10'

4' x 10'


4' x 10'

4' x 10'

Photo not
available



Wood Patterns




4" Wide Aged Wood (actual 3½" width)

P/C 30703 0.070 mil Styrene

4' x 10'

P/C 30249 0.070 mil ABS

4' x 10'



Random Grooved Barnwood

P/C 30704 0.070 mil Styrene

4' x 10'

P/C 30450 0.070 mil ABS

4' x 10'





2" Wide Aged Wood

P/C 30705 0.070 mil Styrene

4' x 10'

P/C 30479 0.070 mil ABS

4' x 10'



4" Wide Aged Cedar

P/C 30706 0.070 mil Styrene

4' x 10'

P/C 30480 0.070 mil ABS

4' x 10'




Rough Sawn Random Length Plank

P/C 30707 0.070 mil Styrene

4' x 10'

P/C 30481 0.070 mil ABS

4' x 10'



6" Cedar

P/C 30605 Dura-Tex


4' x 10'

P/C 30483 Elasto-Tex

4' x 10'



Wood Patterns





Barnwood		
P/C 947052	0.070 mil Styrene	4' x 10'
P/C 940021	0.070 mil ABS	4' x 10'
P/C 30613	Dura-Tex	4' x 10'
P/C 30913	Elasto-Tex	4' x 10'





Sandblast Tongue and Groove		
P/C 30614	Dura-Tex	4' x 10'
P/C 30915	Elasto-Tex	4' x 10'




4" Variable Depth Rough Cedar		
P/C 947007	0.090 mil Styrene	4' x 10'
P/C 940005	0.110 mil ABS	4' x 10'
P/C 30618	Dura-Tex	4' x 10'
P/C 30921	Elasto-Tex	4' x 10'



Extra Rough Sawn		
P/C 30610	Dura-Tex	4' x 10'
P/C 30903	Elasto-Tex	4' x 10'



2" Cedar Stake		
P/C 30621	Dura-Tex	4' x 10'
P/C 30924	Elasto-Tex	4' x 10'



Drawing not
available

Weathered Wood		
P/C 31947011	0.070 mil Styrene	4' x 10'
P/C 31940003	0.070 mil ABS	4' x 10'



Wood Patterns



6" Pine Wood Grain

P/C 3170595 0.070 mil Styrene

P/C 3170512 0.070 mil ABS

P/C 3170562 Dura-Tex


P/C 3170537 Elasto-Tex

4' x 10'

4' x 10'

4' x 10'

4' x 10'




Smooth Flute Patterns




1/2" Deep Rib (1 1/4" OC rib, closed end)

P/C 30709	0.090 mil Styrene	4' x 10'
P/C 30244	0.110 mil ABS	4' x 10'
P/C 30663	Dura-Tex	4' x 10'
P/C 30969	Elasto-Tex	4' x 10'




3/4" Deep Rib (1 1/2" OC rib, closed end)

P/C 30710	0.090 mil Styrene	4' x 10'
P/C 30245	0.110 mil ABS	4' x 10'




3/4" Deep Rib (2" OC rib, closed end)

P/C 30727	0.090 mil Styrene	4' x 10'
P/C 30460	0.110 mil ABS	4' x 10'
P/C 30661	Dura-Tex	4' x 10'
P/C 30968	Elasto-Tex	4' x 10'




1" Deep Rib (2 1/8" OC rib closed end)

P/C 30714	0.090 mil Styrene	4' x 10'
P/C 30489	0.110 mil ABS	4' x 10'



1/4" Deep Rib (5/8" OC rib, open end)

P/C 30708	0.070 mil Styrene	4' x 10'
P/C 30472	0.070 mil ABS	4' x 10'



1 1/2" Deep Rib (4" OC rib; open end)

P/C 70320	0.150 mil Styrene	4' x 10'
P/C 70260	0.150 mil ABS	4' x 10'
P/C 70300	Dura-Tex	4' x 10'
P/C 70280	Elasto-Tex	4' x 10'




Smooth Flute Patterns



3/4" Deep Rib (2" OC rib; open end)

P/C 70321 0.090 mil Styrene
P/C 70261 0.110 mil ABS
P/C 70301 Dura-Tex
P/C 70281 Elasto-Tex


4' x 10'
4' x 10'
4' x 10'
4' x 10'



1/2" Deep Rib (1 1/2" OC rib; open end)

P/C 70322 0.090 mil Styrene
P/C 70262 0.110 mil ABS
P/C 70302 Dura-Tex
P/C 70282 Elasto-Tex



4' x 10'
4' x 10'
4' x 10'
4' x 10'



3/4" Deep Rib (6" OC rib; open end)

P/C 70323 0.090 mil Styrene
P/C 70263 0.110 mil ABS
P/C 70303 Dura-Tex
P/C 70283 Elasto-Tex


4' x 10'
4' x 10'
4' x 10'
4' x 10'



3/4" Deep Rib (1 1/2" OC rib; open end)

P/C 70324 0.090 mil Styrene
P/C 70264 0.110 mil ABS
P/C 70304 Dura-Tex
P/C 70284 Elasto-Tex


4' x 10'
4' x 10'
4' x 10'
4' x 10'



3/4" Deep Special Rib (4" OC rib; open end)

P/C 70325 0.090 mil Styrene
P/C 70265 0.110 mil ABS
P/C 70305 Dura-Tex
P/C 70285 Elasto-Tex


4' x 10'
4' x 10'
4' x 10'
4' x 10'




3/4" Deep Rib (4" OC rib; open end)

P/C 70326 0.090 mil Styrene
P/C 70266 0.110 mil ABS
P/C 70306 Dura-Tex
P/C 70286 Elasto-Tex

4' x 10'
4' x 10'
4' x 10'
4' x 10'



Smooth Flute Patterns



3/4" Deep Rib (3" OC rib; open end)

P/C 3170388 0.090 mil Styrene

P/C 3170352 0.110 mil ABS

P/C 3170376 Dura-Tex


P/C 3170364 Elasto-Tex

4' x 10'

4' x 10'

4' x 10'

4' x 10'



3/4" Deep Rib (2.5" OC)

P/C 947057 0.090 mil Styrene

P/C 940026 0.110 mil ABS

P/C 944020 Dura-Tex

P/C 942083 Elasto-Tex


4' x 10'

4' x 10'

4' x 10'

4' x 10'

Photo not
available



3/4" Deep Rib (3" OC)

P/C 947050 0.090 mil Styrene

P/C 940019 0.110 mil ABS

P/C 944014 Dura-Tex


P/C 942077 Elasto-Tex

4' x 10'

4' x 10'

4' x 10'

4' x 10'



3/4" Deep Rib (6" OC)

P/C 947045 0.090 mil Styrene

P/C 940014 0.110 mil ABS

P/C 944009 Dura-Tex


P/C 942072 Elasto-Tex

4' x 10'

4' x 10'

4' x 10'

4' x 10'



1" Deep Rib (2" OC)

P/C 947044 0.090 mil Styrene

P/C 940013 0.110 mil ABS

P/C 944008 Dura-Tex

P/C 942071 Elasto-Tex

4' x 10'

4' x 10'

4' x 10'

4' x 10'



1.25" Deep Rib (2" OC)

P/C 947047 0.090 mil Styrene

P/C 940016 0.110 mil ABS

P/C 944011 Dura-Tex

P/C 942074 Elasto-Tex

4' x 10'


4' x 10'

4' x 10'

4' x 10'

Photo not
available

Smooth Flute Patterns



1.5" Deep Rib (4" OC)

P/C 947040	0.090 mil Styrene
P/C 940009	0.110 mil ABS
P/C 944004	Dura-Tex
P/C 942067	Elasto-Tex

4' x 10'

4' x 10'

4' x 10'

4' x 10'



1.5" Deep Rib (6" OC)


P/C 947043	0.090 mil Styrene
P/C 940012	0.110 mil ABS
P/C 944007	Dura-Tex
P/C 942070	Elasto-Tex

4' x 10'


4' x 10'

4' x 10'

4' x 10'




Brick Patterns





Rustic Brick

P/C 30723	0.070 mil Styrene	10' x 4'
P/C 30247	0.070 mil ABS	10' x 4'
P/C 30662	Dura-Tex	10' x 4'
P/C 30937	Elasto-Tex	10' x 4'



Striated Brick

P/C 30724	0.070 mil Styrene	2' x 4'
P/C 30222	0.070 mil ABS	2' x 4'
P/C 30660	Dura-Tex	2' x 4'
P/C 30935	Elasto-Tex	2' x 4'




2 1/2" x 8" Smooth Brick (square mortar)

P/C 70327	0.070 mil Styrene	10' x 4'
P/C 70267	0.070 mil ABS	10' x 4'
P/C 70307	Dura-Tex	10' x 4'
P/C 70287	Elasto-Tex	10' x 4'




2 1/2" x 8" Smooth Brick (rounded mortar)

P/C 70598	0.070 mil Styrene	10' x 4'
P/C 70515	0.070 mil ABS	10' x 4'
P/C 70564	Dura-Tex	10' x 4'
P/C 70539	Elasto-Tex	10' x 4'




4" x 12" Smooth Brick (on-center square mortar)

P/C 70328	0.090 mil Styrene	10' x 4'
P/C 70268	0.110 mil ABS	10' x 4'
P/C 70308	Dura-Tex	10' x 4'
P/C 70288	Elasto-Tex	10' x 4'



4" x 12" Smooth Brick (off-center square mortar)

P/C 70329	0.090 mil Styrene	10' x 4'
P/C 70269	0.110 mil ABS	10' x 4'
P/C 70309	Dura-Tex	10' x 4'
P/C 70289	Elasto-Tex	10' x 4'




Brick Patterns




Weathered Brick

P/C 70348	0.090 mil Styrene	10' x 4'
P/C 70349	0.110 mil ABS	10' x 4'
P/C 70350	Dura-Tex	10' x 4'
P/C 70351	Elasto-Tex	10' x 4'



Austin Textured Brick

P/C 947038	0.090 mil Styrene	3.9' x 10'
P/C 940007	0.110 mil ABS	3.9' x 10'
P/C 944002	Dura-Tex	3.9' x 10'
P/C 942065	Elasto-Tex	3.9' x 10'




Aggregate Brick

P/C 947039	0.090 mil Styrene	3'-11 1/4" x 10'
P/C 940008	0.110 mil ABS	3'-11 1/4" x 10'
P/C 944003	Dura-Tex	3'-11 1/4" x 10'
P/C 942066	Elasto-Tex	3'-11 1/4" x 10'





Block Patterns




8" x 8" Rock Face Block
P/C 70330 0.090 mil Styrene
P/C 70270 0.110 mil ABS
P/C 70310 Dura-Tex
P/C 70290 Elasto-Tex

10' x 4'
10' x 4'
10' x 4'
10' x 4'




8" x 16" Rock Face Block
P/C 70331 0.090 mil Styrene
P/C 70271 0.110 mil ABS
P/C 70311 Dura-Tex
P/C 70291 Elasto-Tex

9'-4" x 4'
9'-4" x 4'
9'-4" x 4'
9'-4" x 4'




8" x 16" Rock Face Stacked Bond
P/C 70332 0.090 mil Styrene
P/C 70272 0.110 mil ABS
P/C 70312 Dura-Tex
P/C 70292 Elasto-Tex

9'-4" x 4'
9'-4" x 4'
9'-4" x 4'
9'-4" x 4'




8" x 16" Smooth Face Block
P/C 70333 0.090 mil Styrene
P/C 70273 0.110 mil ABS
P/C 70313 Dura-Tex
P/C 70293 Elasto-Tex

9'-4" x 4'
9'-4" x 4'
9'-4" x 4'
9'-4" x 4'




Masonry Slump Block
P/C 30734 0.090 mil Styrene
P/C 30426 0.110 mil ABS
P/C 30624 Dura-Tex
P/C 30928 Elasto-Tex

10' x 4'
10' x 4'
10' x 4'
10' x 4'



Ribbed Splitface Block
P/C 30659 Dura-Tex
P/C 30934 Elasto-Tex

4' x 10'
4' x 10'




Block Patterns

Photo not
available

12" x 12" Rock Face Block		
P/C 947042	0.090 mil Styrene	4' x 10'
P/C 940011	0.110 mil ABS	4' x 10'
P/C 944006	Dura-Tex	4' x 10'
P/C 942069	Elasto-Tex	4' x 10'



Stone Patterns



Round Stone

P/C 30722	0.070 mil Styrene
P/C 30251	0.070 mil ABS
P/C 30668	Dura-Tex
P/C 30974	Elasto-Tex


4' x 10'
4' x 10'
4' x 10'
4' x 10'



Small Crushed Stone

P/C 30721	0.070 mil Styrene
P/C 30250	0.070 mil ABS
P/C 30626	Dura-Tex
P/C 30930	Elasto-Tex


4' x 10'
4' x 10'
4' x 10'
4' x 10'



Phoenix Limestone

P/C 30601	Dura-Tex
P/C 30923	Elasto-Tex


4' x 10'
4' x 10'



Vertical Flagstone

P/C 70559	0.090 Styrene
P/C 70516	0.110 ABS
P/C 30607	Dura-Tex
P/C 30486	Elasto-Tex


4' x 10'
4' x 10'
4' x 10'
4' x 10'



Fractured Granite

P/C 947053	0.090 mil Styrene
P/C 940022	0.110 mil ABS
P/C 30611	Dura-Tex
P/C 30907	Elasto-Tex

4 x 10
4 x 10
4' x 10'
4' x 10'




Stone Ground Fractured Granite

P/C 30608	Dura-Tex
P/C 30488	Elasto-Tex

4' x 8'
4' x 8'




Stone Patterns



Weathered Ashlar Stone

P/C 30664 Dura-Tex
P/C 30970 Elasto-Tex


10'6" x 4'
10'6" x 4'



Old Ashlar Stone

P/C 30429 0.090 mil Styrene
P/C 30427 0.110 mil ABS
P/C 30673 Dura-Tex
P/C 30671 Elasto-Tex



10' x 4'
10' x 4'
10' x 4'
10' x 4'



Southwest Ashlar Stone

P/C 30430 0.150 mil Styrene
P/C 30428 0.150 mil ABS
P/C 30674 Dura-Tex
P/C 30672 Elasto-Tex


10' x 4'
10' x 4'
10' x 4'
10' x 4'



Random Fieldstone Large

P/C 70334 0.150 mil Styrene
P/C 70274 0.150 mil ABS
P/C 70314 Dura-Tex
P/C 70294 Elasto-Tex



98" x 37½"
98" x 37½"
98" x 37½"
98" x 37½"



Running Bond Ashlar Stone

P/C 70340 0.150 mil Styrene
P/C 70342 0.150 mil ABS
P/C 70344 Dura-Tex
P/C 70346 Elasto-Tex

8' x 4'
8' x 4'
8' x 4'
8' x 4'




Large Dry Stack Stone

P/C 3170582 0.150 mil Styrene
P/C 3170507 0.150 mil ABS
P/C 3170557 Dura-Tex
P/C 3170532 Elasto-Tex

10' x 4'
10' x 4'
10' x 4'
10' x 4'





Stone Patterns



Rugged Flagstone

P/C 3170575 0.150 mil Styrene
P/C 3170500 0.150 mil ABS
P/C 3170550 Dura-Tex
P/C 3170525 Elasto-Tex

10' x 4'
10' x 4'
10' x 4'
10' x 4'



Fractured Concrete

P/C 3170583 0.090 mil Styrene
P/C 3170508 0.110 mil ABS
P/C 3170558 Dura-Tex
P/C 3170533 Elasto-Tex


4' x 10'
4' x 10'
4' x 10'
4' x 10'



Colonial Dry Stack

P/C 3170593 0.150 mil Styrene
P/C 3170510 0.150 mil ABS
P/C 3170560 Dura-Tex
P/C 3170535 Elasto-Tex



10' x 4'
10' x 4'
10' x 4'
10' x 4'



Hill Country Flagstone

P/C 3170594 0.150 mil Styrene
P/C 3170511 0.150 mil ABS
P/C 3170561 Dura-Tex
P/C 3170536 Elasto-Tex


10' x 4'
10' x 4'
10' x 4'
10' x 4'



Shallow Fieldstone

P/C 3170576 0.090 mil Styrene
P/C 3170501 0.110 mil ABS
P/C 3170551 Dura-Tex
P/C 3170526 Elasto-Tex


10' x 4'
10' x 4'
10' x 4'
10' x 4'



Standard Dry Stack

P/C 3170578 0.150 mil Styrene
P/C 3170503 0.150 mil ABS
P/C 3170553 Dura-Tex
P/C 3170528 Elasto-Tex

10' x 4'
10' x 4'
10' x 4'
10' x 4'



Stone Patterns



Buffalo Dry Stack

P/C 947056 0.090 mil Styrene

P/C 940025 0.110 mil ABS

P/C 944019 Dura-Tex

P/C 942082 Elasto-Tex

4' x 10'

4' x 10'

4' x 10'

4' x 10'



Oklahoma Native Stone

P/C 947037 0.090 mil Styrene

P/C 940006 0.110 mil ABS

P/C 944001 Dura-Tex


P/C 942064 Elasto-Tex

4' x 10'


4' x 10'

4' x 10'

4' x 10'





Other Patterns



Skip Trowel Stucco
P/C 30623 Dura-Tex
P/C 30927 Elasto-Tex

4' x 10'


4' x 10'



Broom Swept
P/C 30628 Dura-Tex
P/C 30932 Elasto-Tex

4' x 10'



4' x 10'



Rolled Rib
P/C 30667 Dura-Tex
P/C 30973 Elasto-Tex

4' x 10'

4' x 10'





Split Slate
P/C 3170597 0.070 mil Styrene
P/C 3170514 0.070 mil ABS
P/C 3170563 Dura-Tex
P/C 3170538 Elasto-Tex

4' x 10'

4' x 10'

4' x 10'

4' x 10'




Bush Hammer
P/C 3170592 0.090 mil Styrene
P/C 3170509 0.110 mil ABS
P/C 3170559 Dura-Tex
P/C 3170534 Elasto-Tex


4' x 10'

4' x 10'


4' x 10'

4' x 10'





P/C	Base	Ht.	Top
30755	$\frac{3}{4}$ " x	$\frac{3}{4}$ " x	$\frac{1}{4}$ "
30756	1" x	$\frac{3}{4}$ " x	$\frac{1}{2}$ "
30757	$1\frac{1}{2}$ " x	$\frac{3}{4}$ " x	1"
30758	2" x	$\frac{3}{4}$ " x	$1\frac{1}{2}$ "
30759	1" x	1" x	$\frac{1}{2}$ "
30760	$1\frac{1}{2}$ " x	1" x	1"
30761	2" x	1" x	$1\frac{1}{2}$ "
30762	$2\frac{1}{2}$ " x	1" x	$1\frac{3}{4}$ "
30763	3" x	1" x	$2\frac{1}{4}$ "
30764	4" x	1" x	$3\frac{1}{4}$ "
30765	5" x	1" x	$4\frac{1}{4}$ "
30766	6" x	1" x	$5\frac{1}{4}$ "
30767	$1\frac{1}{2}$ " x	$1\frac{1}{2}$ " x	1"
30768	2" x	$1\frac{1}{2}$ " x	$1\frac{1}{2}$ "
30769	3" x	$1\frac{1}{2}$ " x	2"
30770	2" x	2" x	1"
30771	3" x	2" x	2"
30772	4" x	2" x	3"



P/C	Base	Ht.	Angle
30773	$1\frac{5}{32}$ " x	1" x	60°
30774	$1\frac{1}{2}$ " x	1" x	53°
30775	2" x	1" x	45°


Specify Rustication Strips for concrete surfaces when distinct features or reveals are required.

Each Rustication Strip is a durable, precision molded piece which contains a metal strap core for attachment to concrete formwork. Rustication Strips are available in a variety of standard shapes to meet almost any project requirement.

Symons Rustication Strips are manufactured in premium Elasto-Tex® material for extensive reuse.

Advantages:

- ◆ Sharp, detailed features in finished concrete surfaces.
- ◆ Standard reusable shapes minimize forming costs.
- ◆ Enhances the appearance of exposed concrete elements.



P/C	Base	Ht.	Slope
30776	$\frac{3}{4}$ " x	$\frac{3}{4}$ " x	$1\frac{1}{16}$
30777	1" x	1" x	$1\frac{7}{16}$
30778	$1\frac{1}{2}$ " x	$1\frac{1}{2}$ " x	$2\frac{1}{16}$



2400 Arthur Avenue
Elk Grove Village, IL 60007 USA
847-298-3200 • FAX 847-635-9287
www.symons.com • info@symons.com

800-800-SYMONS

Adjustable Column Form — Form square or rectangular columns efficiently with a minimum number of steel panels.

Alisply™ — Clamp-type, metric-dimension system is quickly assembled and reconfigured for fast-paced gangforming.

Aluminum Beams and Joists — Lightweight beams/ joists from 4' to 30' (122cm to 914cm) for deck or gangform applications.

Box Culvert Traveler — Rolling steel framework is compatible with Steel-Ply, Versiform and Max-A-Form systems.

Chemicals — Liquid, cement, epoxy and other specialty products for concrete construction and repair.

DeckFast™ — A quick two-component system of modular panels and shores for creating flat concrete decks.

Flex-Form® — Specially designed steel-faced system for forming curved walls and round tanks with no surface "chording".

Form Liner — More than 100 standard patterns, in four different materials, create unique concrete textures.

FormRight™ — The advantages of a clamp-type gangform, with the handset flexibility for details. (Interchangeable with Rasto™)

FrameFast™ — Provides 24,000 lb. (106kN) load capacity per shore frame with spacings from 3' to 15' (91.4cm to 457.2cm).

Garage Beam — A complete system to form an economical, poured-in-place concrete parking garage.

Max-A-Form® — A durable, all-steel forming system that is ideal for pier caps and self-spanning applications.

Resi-Ply™ — A low cost, 1½" (2.9cm) plywood forming system for residential construction, in 4-bar, 5-bar and 6-bar spacing.

Roller Deck — Column-mounted deck support system replaces conventional shoring, providing access for other trades.

Room Tunnel — One room per day, per form provides maximum forming productivity for repetitive room designs like hotels.

ShorFast™ — High capacity aluminum leg and jack shoring system can support up to 30 kips (133kN) per leg.

Steel-Ply® — The most recognized modular system, with more than 80 panel and filler sizes, for handsetting or gangforming.

Street Smart™ — Reusable steel forms for residential curb and gutters, industrial slabs and highway paving applications.

Symons Silver™ — A lightweight aluminum system that makes residential forming operations efficient and productive.

Symons Soldier™ — The "next generation" construction beam that can be used as a brace, strongback, waler or shore.

Truss — Crane handling of large aluminum tables increases deck forming productivity for repetitive bays.

Versiform® — Steel frame/plywood face gangforming system that provides a smooth concrete finish.

Printed in U.S.A.
© 2008, Symons
Product Code 99493

